





DRUG REGISTRATION - ACTIVE TB

CONTINUATION PHASE (PHASE 2) = Duration of 4 to 10 months

Start date of phase 21: yyyy/ mm/ dd End date of phase 22: yyy/ mm/ dd

Notify the physician and Public Health team <u>tuberculose-santepublique.nrbhss@ssss.gouv.qc.ca</u> whenever 3 consecutive doses are missed or in the case of erratic compliance.

EMBOSSER ICI LA CARTE DU CSI OU CSTU, SI NON DISPONIBLE, INSCRIRE LES NOM, PRÉNOM, DATE DE NAISSANCE ET NUMÉRO DOSSIER EMBOSS HERE THE CARD OF IHC OR UTHC, IF NOT AVAILABLE, WRITE THE NAME, SURNAME, DATE OF BIRTH AND FILE NI IMBER

Type of DOT	Freq	uer	ncy	of t	the	DO	T								D	ura	tio	n of	the	pr	esc	ribe	ed t	reat	tme	nt /	nu nu	mb	er c	of d	ose	es to	o gi	ve				
☐ Standard DOT:	□ 3×	(/we	ek	(Mc	nda	ay, \	Wed	dne	sda	y ar	nd F	rida	ay)			4 r	nor	nths	= 5	1 d	ose	s																
☐ Alternative DOT:		AIL\	Y													17 r	nor	nths	= 9	0 d	oses	s [□ 10) m	onth	าร =	: 12	0 d	ose	s 🗆] O	ther	(sp	eci	fy)			
Enter the month and ye	ar:																																					
Enter the calendar date	s→																																					
Days of the week→		M	T	W	Т	F	S	S	M	Т	W	Т	F	S	S	M	Т	W	Т	F	S	S	M	Т	W	Т	F	S	S	M	Т	W	Т	F	S	S	M	Т
Isoniazid (INH) PO	_mg																																					
Rifampicin (RIF) PO	_mg																																					
Vitamin B6 mg P	0																																					
Other (specify):																																						
Other (specify):																																						
Number of doses ³ (cumulative)																																						
Commentaires :																																						_

[▶] Enter ☑ in the boxes where the planned dose was not taken. NOTE: Omitted doses must be taken prior to the start of phase 2.

• • • • • • • • • • • • • • • • • • •					
Signature and permit no.	Initials	Signature and permit no.	Initials	Signature and permit no.	Initials

¹ The continuation phase begins once the <u>60 doses prescribed in the initial phase have been taken</u>. Enter the date of the first dose taken during the continuation phase.

² Enter the date of the last dose taken of the total number of doses prescribed.

³ With a standard DOT, do not continue counting the doses from phase 1. Start a new count of the doses to reach the total number of doses prescribed at the end of the treatment. Initial each box where medication was administered **DOT** (Directly observed therapy).

>> Enter SA in the boxes where medication is self-administered in highly specific situations.